

**PROGRAM STUDI DIPLOMA III KEBIDANAN
FAKULTAS KEBIDANAN
INSTITUT KESEHATAN PAYUNG NEGERI PEKANBARU
Studi Kasus, 06 Juli 2026**

Julia Ratna Sari

**ASUHAN KEBIDANAN BERKESINAMBUNGAN PADA NY. W MASA
NIFAS UNTUK MENINGKATKAN PRODUKSI ASI DI PMB Bdn. SILVI
AYU, S.Keb**

xiii + 111 Halaman + 2 Gambar + 14 Lampiran

ABSTRAK

Masa nifas merupakan periode penting dalam mendukung keberhasilan menyusui. Pengeluaran ASI yang belum optimal pada awal masa nifas dapat menghambat pemenuhan kebutuhan ASI bayi. Salah satu upaya untuk membantu memperlancar pengeluaran ASI adalah pijat oksitosin. Studi kasus ini bertujuan melaksanakan asuhan kebidanan berkesinambungan pada Ny. W masa nifas dengan penerapan pijat oksitosin di PMB Bdn. Silvi Ayu, S.Keb. Metode yang digunakan adalah studi kasus dengan pendekatan manajemen kebidanan dan pendokumentasian SOAP. Pijat oksitosin dilakukan selama tiga hari, dua kali sehari selama $\pm 10-15$ menit setiap sesi. Hasil menunjukkan bahwa pada hari ke-3 postpartum ASI masih sedikit dan belum lancar dengan frekuensi menyusui bayi 6 kali/hari. Pengeluaran ASI kemudian menjadi lebih lancar secara bertahap dengan frekuensi menyusui meningkat menjadi 7 kali/hari pada hari ke-4 dan 9 kali/hari pada hari ke-5. Berdasarkan hasil tersebut, penerapan pijat oksitosin membantu memperlancar pengeluaran ASI pada Ny. W dan dapat menjadi salah satu intervensi sederhana dalam asuhan kebidanan pada ibu nifas dengan pengeluaran ASI yang belum optimal. ringkaskan lagi

Kata kunci : *Continuity of Care*, pijat oksitosin, pengeluaran ASI, masa nifas.

Daftar Bacaan : 20 (2020-2025)

STUDY PROGRAM OF DIPLOMA III IN MIDWIFERY
FACULTY OF MIDWIFERY
PAYUNG NEGERI HEALTH INSTITUTE PEKANBARU
Case Study, 06 July 2026

Octavia Ramadhani

**CONTINUITY OF MIDWIFERY CARE FOR MRS. W DURING THE
POSTPARTUM PERIOD TO IMPROVE BREAST MILK PRODUCTION
AT PMB Bdn. SILVI AYU, S.Keb**

Xiii + 111 Pages + 2 Figure + 14 Appendixes

ABSTRACT

The postpartum period is an important period for successful breastfeeding. Suboptimal breast milk production in the early postpartum period may affect the fulfillment of the infant's nutritional needs. Oxytocin massage is one intervention that may help improve breast milk flow. This case study aimed to provide continuity of midwifery care for Mrs. W during the postpartum period through the application of oxytocin massage at PMB Bdn. Silvi Ayu, S.Keb. The method used was a case study with a midwifery management approach and SOAP documentation. Oxytocin massage was performed for three consecutive days, twice daily, for approximately 10–15 minutes per session. The results showed that on the third postpartum day, breast milk was still produced in small amounts and was not flowing smoothly, with the infant breastfeeding 6 times/day. Breast milk flow gradually improved, with breastfeeding frequency increasing to 7 times/day on the fourth day and 9 times/day on the fifth day. The application of oxytocin massage helped improve breast milk flow in Mrs. W and may be used as a simple intervention in midwifery care for postpartum mothers with suboptimal breast milk production.

Keywords : Continuity of Midwifery Care, oxytocin massage, breast milk flow, postpartum period.
References : 20 (2020-2025)