

PROGRAM STUDI S1 KEBIDANAN DAN PROFESI BIDAN
FAKULTAS KESEHATAN DAN INFORMATIKA
INSTITUT KESEHATAN PAYUNG NEGERI PEKANBARU
Evidence Based Practice, Agustus 2025

Annisa Dwi Utari

24701007

Asuhan Kebidanan Berkesinambungan Pada Bayi Ny. D Dengan Menerapkan Perawatan Tali Pusat Terbuka Sebagai Upaya Mempercepat Pelepasan Tali Pusat Pada Bayi Baru Lahir Di PMB Zurrahmi Kota Pekanbaru.

xiv + 119 halaman + 5 tabel + 1 gambar + 7 lampiran

ABSTRAK

Bayi baru lahir berisiko tinggi terkena infeksi, salah satunya adalah infeksi tali pusat terutama pada saat tali pusat basah yang memudahkan masuknya bakteri tetanus sehingga menyebabkan tetanus neonatorum. Tali pusat yang dirawat dengan baik dan benar memberikan efek positif dengan mempercepat waktu pelepasan tali pusat, mencegah infeksi dan menurunkan angka kematian bayi. Teknik perawatan yang salah dapat menyebabkan infeksi tetanus neonatorum dimana hal tersebut dapat mempengaruhi lama pelepasan tali pusat, Indikator keberhasilan diukur dengan lembar observasi. Analisa data deskriptif digunakan untuk menggambarkan hasil dari lembar observasi. Hasil pelaksanaan asuhan kebidanan menunjukkan bahwa seluruh pengasuhan yang diberikan berjalan dengan baik tanpa ada komplikasi. dimana intervensi penatalaksanaan pelepasan tali pusat yang di biarkan dan tidak bubuhi apapun cepat di berikan pada hari ke 1 sampai ke 5 post partum, dan terbukti puput lebih cepat dan tidak infeksi

Kata kunci : Asuhan Kebidanan berkesinambungan, Tali pusat, Perawatan pelepasan tali pusat.

Daftar Pustaka : 32 (2018- 2024)

MIDWIFERY PROGRAM AND MIDWIFERY PROFESSIONAL
FACULTY OF HEALTH AND INFORMATICS
INSTITUT KESEHATAN PAYUNG NEGERI PEKANBARU
Evidence Based Practice, August 2025

Annisa Dwi Utari

24701007

Continuous obstetric care for Mrs. D's baby by implementing open umbilical cord treatment as an effort to accelerate the release of umbilical cord in newborns at PMB Zurrahmi, Pekanbaru City.

xiv + 119 pages + 5 tables + 1 picture + 7 appendices

ABSTRACT

Newborns are at high risk of infections, one of which is umbilical cord infections, especially when the umbilical cord is wet which facilitates the entry of tetanus bacteria so as to cause tetanus neonatorum. A well-maintained and properly maintained umbilical cord has a positive effect by accelerating the time of cord release, preventing infection and lowering infant mortality. Incorrect treatment techniques can lead to neonatal tetanus infection which can affect the length of cord release, Success indicators are measured by observation sheets. Descriptive data analysis was used to describe the results of the observation sheet. The results of the implementation of midwifery care show that all the care provided goes well without any complications. Where the intervention in the management of the removal of the umbilical cord that is left and does not add anything is quickly given on the 1st to 5th day post partum, and it is proven that puput is faster and not infectious

Keywords : *Continuous Midwifery Care, Umbilical cord, Umbilical cord removal treatment.*

Bibliography : *32 (2018- 2024)*