

**PROGRAM STUDI S1 KEPERAWATAN FAKULTAS KEPERAWATAN
INSTITUT KESEHATAN PAYUNG NEGERI PEKANBARU
Penelitian, Desember 2024**

**Aldo
21301059**

**Faktor-Faktor Yang Mempengaruhi Kekambuhan Pasien Resiko Perilaku
Kekerasan (RPK) Di RS Jiwa Tampan Provinsi Riau**

iv + 57 Halaman + 1 Skema + 20 Tabel + 9 Lampiran

ABSTRAK

Resiko perilaku kekerasan (RPK) merupakan suatu respon terhadap stressor yang dihadapi oleh penderitanya. Proses penyembuhan pada pasien perilaku kekerasan memerlukan waktu yang cukup lama untuk menjalankan program pengobatan yang rutin dan teratur jika tidak dilakukan pengobatan maka akan terjadinya kekambuhan. Tujuan penelitian ini adalah untuk mengetahui faktor-faktor yang mempengaruhi kekambuhan pasien. Faktor-faktor yang akan mempengaruhi kekambuhan adalah faktor dukungan keluarga, kepatuhan dalam minum obat, dukungan sosial, dan faktor ekonomi. Kuesioner yang digunakan diadopsi dari penelitian Gitsya Raudaful Zahira, MMAS-8, dan Ali, M. Penelitian ini merupakan jenis penelitian kuantitatif, dengan desain penelitian deskriptif korelasional. Populasi dari penelitian berjumlah 416 dan terdapat 81 jumlah responden yang berjenis kelamin laki-laki. Penelitian dilakukan pada pasien yang dirawat diruangan intermediat di RS Jiwa Tampan Provinsi Riau. Hasil penelitian berdasarkan hasil uji *statistic* dengan uji *chi square* didapatkan nilai $p < \alpha$ yang berarti ada hubungan antara faktor dukungan keluarga terhadap kekambuhan. Hasil uji *statistic* dengan uji *chi square* kepatuhan dalam minum obat dengan nilai $p < \alpha$ yang berarti ada hubungan antara faktor kepatuhan dalam minum obat terhadap kekambuhan. Hasil uji *statistic* dengan uji *chi square* diperoleh dukungan sosial dengan nilai $p < \alpha$ yang berarti ada hubungan antara faktor dukungan sosial terhadap kekambuhan. Hasil uji *statistic* dengan uji *chi square* diperoleh faktor ekonomi dengan nilai $p < \alpha$ yang berarti ada hubungan antara faktor ekonomi terhadap kekambuhan. Kesimpulannya faktor-faktor tersebut bisa mempengaruhi kekambuhan pasien resiko perilaku kekerasan (RPK) dan diharapkan pasien bisa mencegah terjadinya kekambuhan dengan menjalankan program pengobatan dan perawatan yang rutin.

Data Kunci : *Pasien resiko perilaku kekerasan, Faktor kekambuhan*
Daftar Pustaka : 49 (2017-2024)

**BACHELOR OF NURSING PROGRAM, FACULTY OF NURSING
PAYUNG NEGERI INSTITUTE OF HEALTH SCIENCE
Research, December 2024**

**Aldo
21301059**

**Factors Affecting The Recovery Of Patients At Risk Of Violent Behavior At
Tampan Psychiatric Hospital, Riau Province**

xiv + 57 Pages + 1 Scheme + 20 Tables + 9 Appendixes

ABSTRACT

The Risk of Violent Behavior is a response to stressors faced by the individuals affected. The healing process for patients with violent behavior requires a significant amount of time to follow a regular and consistent treatment program, and if treatment is not carried out, relapse may occur. The aim of this research is to identify the factors that influence relapse in patients. The factors that may affect relapse are family support, medication adherence, social support, and economic factors. The questionnaire used in this study is adapted from the research of Gitsya Raudaful Zahira, MMAS-8, and Ali, M. This is a quantitative research study with a descriptive correlational design. The population of the study consists of 416, with 81 male respondents. The study was conducted on patients hospitalized in the intermediate care unit at Tampan Psychiatric Hospital, Riau Province. The results of the statistical tests using chi-square revealed that the $p\text{-value} < \alpha$, which means there is a relationship between family support and relapse. The results of the statistical test using chi-square for medication adherence also showed $p\text{-value} < \alpha$, indicating a relationship between medication adherence and relapse. The results of the chi-square test for social support showed a $p\text{-value} < \alpha$, indicating a relationship between social support and relapse. The results of the chi-square test for economic factors showed a $p\text{-value} < \alpha$, indicating a relationship between economic factors and relapse. In conclusion, these factors can influence the relapse of patients with Risk of Violent Behavior, and it is hoped that patients can prevent relapse by adhering to the treatment and care program regularly.

Keywords: Risk of violent behavior, Relapse factors

References: 49 (2017-2020)