

ABSTRAK

FAKTOR - FAKTOR YANG MEMPENGARUHI ANEMIA PADA IBU HAMIL DI WILAYAH PUSKESMAS PANGKALAN LESUNG KABUPATEN PELALAWAN TAHUN 2024

(LINDA YANI)

(23611021)

Anemia selama kehamilan jika tidak ditangani dapat menyebabkan dampak yang serius yakni hemodilusi. Upaya pemerintah untuk mengatasi anemia terhadap ibu hamil sudah dilakukan antara lain meningkatkan kualitas pelayanan kesehatan, pembiayaan jaminan kesehatan, upaya masyarakat secara langsung dengan pemberian tablet tambah darah (TTD) minimal 90 tablet selama kehamilan, pendidikan gizi terhadap masyarakat untuk mengetahui pola makan bergizi dan meningkatkan status gizi pada ibu hamil. Pengukuran Status Gizi pada Ibu Hamil dengan menggunakan indikator pengukuran Lingkar Lengan Atas (LILA) dengan nilai normal 23,5 cm. apabila LILA kurang dari 23,5 cm memiliki resiko mengalami KEK (Kekurangan Energi Kronik) sehingga sebaiknya kehamilan ditunda untuk mencegah terjadinya Anemia Kehamilan. Tujuan penelitian ini adalah untuk mengetahui Faktor - Faktor yang Mempengaruhi Anemia pada Ibu Hamil Di Wilayah Puskesmas Pangkalan Lesung Kabupaten Pelalawan Tahun 2024. Penelitian ini menggunakan metode penelitian kuantitatif dengan pendekatan *cross sectional*. Penelitian ini dilaksanakan di wilayah kerja Puskesmas Pangkalan Lesung Kabupaten Pelalawan. Jumlah sampel sebanyak 66 responden. Terdapat hubungan pengetahuan dengan anemia pada ibu hamil dengan *p value* 0,000 ($<0,05$). Terdapat hubungan sikap dengan anemia pada ibu hamil dengan *p value* 0,000 ($<0,05$). Terdapat hubungan Kepatuhan Minum Tablet Fe dengan anemia pada ibu hamil dengan *p value* 0,004 ($<0,05$). Terdapat hubungan Pendidikan dengan anemia pada ibu hamil dengan *p value* 0,000 ($<0,05$). Terdapat hubungan pendapatan dengan anemia pada ibu hamil dengan *p value* 0,000 ($<0,05$). Terdapat hubungan usia dengan anemia pada ibu hamil dengan *p value* 0,001 ($<0,05$). Terdapat hubungan paritas dengan anemia pada ibu hamil dengan *p value* 0,001 ($<0,05$). Hasil penelitian ini dapat menjadi tambahan pengetahuan tentang Anemia bagi Ibu Hamil, sehingga dapat patuh dalam mengkonsumsi tablet Fe untuk mencegah terjadinya kejadian Anemia.

Kata kunci : Pengetahuan, Sikap, Anemia, Ibu Hamil

ABSTRACT

FACTORS AFFECTING ANEMIA IN PREGNANT WOMAN IN THE PANGKALAN LESUNG HEALTH CENTER AREA PELALAWAN REGENCY IN 2024

(LINDA YANI)

(23611021)

Anemia during pregnancy if left untreated can cause serious impacts, namely hemodilution. Government efforts to overcome anemia in pregnant women have been carried out, including improving the quality of health services, financing health insurance, direct community efforts by providing iron tablets (TTD) of at least 90 tablets during pregnancy, nutrition education for the community to find out nutritious diets and improve nutritional status in pregnant women. Measurement of Nutritional Status in Pregnant Women using the Upper Arm Circumference (LILA) measurement indicator with a normal value of 23.5 cm. If the LILA is less than 23.5 cm, there is a risk of experiencing KEK (Chronic Energy Deficiency) so that pregnancy should be postponed to prevent Pregnancy Anemia. The purpose of this study was to determine the Factors that Influence Anemia in Pregnant Women in the Pangkalan Lesung Health Center Area, Pelalawan Regency in 2024. This study used a quantitative research method with a cross-sectional approach. This study was conducted in the working area of the Pangkalan Lesung Health Center, Pelalawan Regency. The number of samples was 66 respondents. There is a relationship between knowledge and anemia in pregnant women with a p value of 0.000 (<0.05). There is a relationship between attitude and anemia in pregnant women with a p value of 0.000 (<0.05). There is a relationship between adherence to taking Fe tablets and anemia in pregnant women with a p value of 0.004 (<0.05). There is a relationship between education and anemia in pregnant women with a p value of 0.000 (<0.05). There is a relationship between income and anemia in pregnant women with a p value of 0.000 (<0.05). There is a relationship between age and anemia in pregnant women with a p value of 0.001 (<0.05). There is a relationship between parity and anemia in pregnant women with a p value of 0.001 (<0.05). The results of this research can provide additional knowledge about anemia for pregnant women, so that they can comply with taking Fe tablets to prevent anemia.

Keywords : Knowledge, Attitude, Anemia, Pregnant Women