

Volume 10 Number 10 October 2019



An International Journal

### SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 to 2017 Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine: Public Health, Environmental and Occupational Health CiteScore 2015-0.02 SJR 2015-0.105 SNIP 2015-0.034



Website:

www.ijphrd.com

# Indian Journal of Public Health Research & Development

### **EXECUTIVE EDITOR**

# **Prof Vidya Surwade**

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohinee, Delhi

### INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr. Abdul Rashid Khan B. Md Jagar Din, (Associate Professor)
  Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- Dr. V Kumar (Consulting Physician)
   Mount View Hospital, Las Vegas, USA
- Basheer A. Al-Surn,
   Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia
- Dr. Ch Vijay Kumar (Associate Professor)
   Public Health and Community Medicine, University of Buraimi, Oman
- Dr. VMC Ramaswamy (Senior Lecturer)
   Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas (Clinical Researcher)
   Department of Deployment Health Research,
   Naval Health Research Center, San Diego, CA (USA)
- Prof. PK Pokharel (Community Medicine)
   BP Koirala Institute of Health Sciences. Nepal

# NATIONAL SCIENTIFIC COMMITTEE

- Dr. Anju Ade (Associate Professor)
   Navodaya Medical College, Raichur, Karnataka
- Dr. E. Venkata Rao (Associate Professor) Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Ortissa.
- Dr. Amit K. Singh (Associate Professor) Community Medicine, VCSG Govt. Medical College. Srinagar – Garhwal, Uttarakhand
- Dr. R G Viveki (Professor & Head) Community Medicine, Belgaum Institute of Medical Sciences, Belgaum, Karnataka
- Dr. Santosh Kumar Mutage (Assistant Professor)
   Anatomy, Raichur Institute of Medical Sciences Raichur (RIMS), Karnataka
- Dr. Gouri Ku. Padhy (Associate Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Dr. Ritu Goyal (Associate Professor)
   Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar (Associate Professor)
   Microbiology, Prathima Institute of Medical Sciences, AP
- Dr. Md. Amirul Hassan (Associate Professor)
   Community Medicine, Government Medical College, Ambedkar Nagar, UP
- 10. Dr. N. Girish (Associate Professor) Microbiology, VIMS&RC, Bangalore
- 11. Dr. BR Hungund (Associate Professor) Pathology, JNMC, Belgaum.
- Dr. Sartaj Ahmad (Assistant Professor), Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India
- Dr Sumeeta Soni (Associate Professor)
   Microbiology Department, B.J. Medical College, Ahmedabad, Guiarat, India

# NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra (Community Medicine) GSL Medical College – Rajahmundry, Karnataka
- Prof. D.K. Srivastava (Medical Biochemistry)
   Jamia Hamdard Medical College, New Delhi
- Prof. M Sriharibabu (General Medicine) GSL Medical College, Rajahmundry, Andhra Pradesh
- Prof. Pankaj Datta (Principal & Prosthodentist) Indraprastha Dental College, Ghaziabad

### NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Samarendra Mahapatro (Pediatrician)
   Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr. Abhiruchi Galhotra (Additional Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Prof. Deepti Pruthvi (Pathologist) SS Institute of Medical Sciences & Research Center, Davangere, Karnataka
- Prof. G S Meena (Director Professor)
   Maulana Azad Medical College, New Delhi
- Prof. Pradeep Khanna (Community Medicine)
   Post Graduate Institute of Medical Sciences, Rohtak, Haryana
- Dr. Sunil Mehra (Paediatrician & Executive Director) MAMTA Health Institute of Mother & Child, New Delhi
- Dr Shailendra Handu, Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal: Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India, Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarterly (Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

### Website: www.ijphrd.com

@All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

### Editor

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

# Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

# Published at

Institute of Medico-legal Publications

501, Manisha Building, 75-76, Nehru Place, New Delhi-110019



# Indian Journal of Public Health Research & Development

www.ijphrd.com

Vol		
	ume 10, Number 10 October	2019
1.	Maternal Deaths in Trasnskei Region of South Africa a Case Report	1
2.	Sudden Death in a Road Traffic Accident: A Case Report	5
3.	Gross Motor Skills in Children with Autism Spectrum Disorder and Attention Deficit Hyperactive Disorder A. Sheba Swarnarajam, Sheila Christopher	rder 7
4.	The Role of Dermacyn Solution in the Treatment of Infected Diabetic Foot Ulcers in Basrah: A Randomized Clinical Trial Study	13
5.	Determinants of Exclusive Breastfeeding Duration on Infants in Girimaya Community Health Center Pangkalpinang City	19
6,	The Evaluation of the Accuracy of a Completely Limiting Tooth Supported Stereolithographic Surgical Guide in Dental Implant Placement Using Superimposition Protocol of Pre-Operative and Post-Operative CBCT Data: A Clinical Study	25
7.	An Audit to Pain Management of Lower Segmental Caesarean Section in a Tertiary Care Hospital  Amrita Panda, Lingaraj Sahu, Bhaskar Thakur, Gunupuru Bharat	31
8.	Evaluation of Phytochemical Analysis and Antimicrobial Activity of Citrus Latifolia Peel Extract  Arunava Das, M. Vasundraa, V. Vinotha, P.S. Sanofer, J. Bindhu	36
9.	Ethical Issues in Relation to Evidenced-Based-Medicine and Hippocratic Oath	42
10.	Prevalence of Autoantibodies and the Clinical Spectrum of Disease in an Indian Patient Subpopulation with Lichen Planus  Balkrishna Pralhadrao Nikam, Dhanraj D. Chavan, Nischhal Shrivastava, Namita Narkhede	45
11.	The Effect of Periapical Radiography X-Ray Radiation on Platelets, Leukocyte, Hemoglobin and Mean Corpuscular Volume (MCV) in Mice (Mus Musculus)  Bayu indra Sukmana, Huldani, Harun Ahmad, Hilyatul Auliya, Chelsy Oktavia, Anugrah Oatrunnada	48

II 12.	Patterns of Head Injury in Geriatric Eastern Indian Population in Computed Tomography: A
	Retrospective Study
	Bikramaditya Swain, Ranjan Kumar Sahoo, Manoj Kumar G
13.	Radiation Doses from Computed Tomography practice in Regional Hospital Center Hassan II of Agadir, Morocco
	Bouchra Amaoui *, Slimane Semghouli, Mustapha Massaq, Mohamed Aabid, Oum Keltoum Hakam, Abdelmajid Choukri, Abdennasser El Kharras
14.	Evaluation of Antimicrobial Properties of Orthodontic Adhesive Mixed with Silver Nanoparticles:  An in Vitro Study
	Crystal Soans, Jenitta E.P., Veena Shetty A., Ravi M.S., Krishna Nayak U.S.
15.	Validity, Inter- and Intra- Reliability of New Equipment Innovation for Increasing Lung Volume Training and Measuring Chest Expansion Measurement among Healthy People
16.	An Analysis of the Correlation between Life Skills and Self-Efficacy with the Risk of Teenage Pregnancy .75  Deswinda,, Rizanda Machmud, Yusrawati, Ahmad Syafruddin Indrapriyatna
17.	Evaluation of Carbapenem-resistant genes and Colistin susceptibility in gram negative organisms from clinically significant samples
	Dhanyashree Rai, Pooja Rao, Sevitha Bhat, Udayalaxmi Jeppu
18.	The Development of the Thesis-Writing Perfectionism Inventory
19.	Microfinance and its Contribution to Health Care Access: A Study of Self-Help Groups in Assam
20.	The Effectiveness of the Combination Therapy of Risperidone, Group Psychotherapy and Occupational Therapy on Cognitive Functions and the Quality of Life of Schizophrenia Patients
21.	Compliance with the Baby Friendly Hospital Initiative Programme in Two Hospitals Designated "Baby-Friendly" in Kirkuk City, Iraq, an Evaluation Study
22.	Correlation of Age, Sex, Waist Circumferences with Thyroid Disorders in Metabolic Syndrome Patients 107 Gunjan Kumar Mandal, Suvarna Prasad, B.K. Agrawal
23.	Emotional Intelligence and its Correlation with Academic Performance of Dental Undergraduates
24.	The Evaluation of Professional Burnout among Health Workers at EL Idrissi Hospital in Morocco
25.	Antifertility Effects of Dried Citrus Aurantifolia in Comparison with Caffeine Extracted from Coffee  Arabica on Male Rats

# An Analysis of the Correlation between Life Skills and Self-Efficacy with the Risk of Teenage Pregnancy

Deswinda<sup>1,2</sup>, Rizanda Machmud<sup>3</sup>, Yusrawati<sup>3</sup>, Ahmad Syafruddin Indrapriyatna<sup>4</sup>

<sup>1</sup>Postgraduate Student of Public Health Faculty of Medicine Andalas University, Padang Indonesia, <sup>2</sup>Institute of Health Science Payung Negeri Pekanbaru, Indonesia, <sup>3,4</sup>Faculty of Medicine Andalas University, Padang Indonesia, <sup>4</sup>Faculty of Engineering and Informatics Andalas University, Padang Indonesia

### Abstract

Background: Approximately 21 million women aged from 15 to 19 years old in developing countries are pregnant every year. At the same time, around 16 million of women aged between 15 to 19 years old give birth annually. The Age-specific Fertility Rate (ASFR) in Indonesia for 15-19 years old group is 36 per 1000 women. 13.1 % of teenage girls aged from 15 to 19 give the first birth and 36.7% have already given birth before. The reasons behind this teenage pregnancy and marriage in Indonesia are the lack of life skills and low self-efficacy. Teenagers with lack of life skills are more likely to be influenced by their peers, in this case, to have sex before marriage. Teenage pregnancy often leads to a high rate of maternal and infant mortality, and high-risk infants.

Purpose: This research was aimed at analyzing the correlation between life skills and self-efficacy with the risk of teenage pregnancy.

**Method:** This study was a quantitative correlational research with cross-sectional study approach. It involved 126 third-grade students of a senior high school in Pekanbaru, Indonesiawho were selected using stratified random sampling. Data were collected using life skills, self-efficacy, and pregnancy prevention questionnaires. Collected data were analyzed using Chi Square

**Results:** The results showed that 71 students (56.3%) had poor life skills and 80 students (63.5%) had low self-efficacy. 66 students (52.45%) are at risk of pregnancy. Correlational analysis between life skills and the risk of teenage pregnancy showed  $\rho$  value: 0.002 <  $\alpha$ : 0.05 and OR: 3.433. It meant that teenagers with poor life skills had three times greater risk of pregnancy compared to the ones with good life skills meanwhile correlational analysis between self-efficacy and the risk of teenage pregnancy resulted in p value: 0.000 <  $\alpha$ : 0.05 and OR: 6.000. It showed teenagers with low self-efficacy had a six times greater risk of pregnancy compared to the ones with high self-efficacy.

**Conclusions:** There is a significant correlation between life skills, self-efficacy and the risk of teenage pregnancy. Future researchers are expected to conduct a further research project using quasi-experimental design by including intervention of more innovative health promotion with more interesting media considered to be more attractive to teenagers.

Keywords: Teenage pregnancy, life skills, self-efficacy.

# Corresponding Author: Deswinda

Postgraduate Student of Public Health Faculty of Medicine Andalas University, Padang Indonesia e-mail: deswinda@payungnegeri.ac.id

### Introduction

Every year approximately 21 million women aged from 15 to 19 (2 million of those aged are below 15) in developing areas across the globe are pregnant. At the same time, around 16 million of women aged between 15 to 19 (2.5 million of those aged are under 16) give birth annually 1,2. The Age-specific Fertility Rate

(ASFR) in Indonesia for 15-19 years old group is 36 per 1000 women. 13.1 % of teenage girls aged from 15 to 19 give the first birth and 36.7% have already given birth before<sup>3</sup>.

The Age-specific Fertility Rate (ASFR) in Indonesia for 15-19 years old group is 36 per 1000 women. 13.1 % of teenage girls aged from 15 to 19 give the first birth and 36.7% have already given birth before<sup>4</sup>.

In Riau, 8.7% of the similar age group are pregnant while 22.1% of them have already given birth before 5. Even though the rate seems to be small, but it is actually higher compared to Indonesian Survey Demography and Health 2007 in which 1.9% of teenage girls give the first birth and 6.6% have already given birth before 5. This is mainly caused by the rising number of sexually active teenagers.

The percentage of pre-marital sexual intercourse among teenagers aged between 15 to 19 years have increased from 4.5% to 3.7%. The lack of innovative teenage sexual counseling is shown by a low percentage of 45% of unmarried female teens aged from 15 to 19 years being acquainted with where to get teenage counseling service. Discussion partners that female teens like most are their friends of the same age (60%), mothers (44%), and teachers (43%)6,4

Life skills and self-efficacy of Indonesian teenagers are still considered low. Teenagers with lack of life skills are more likely to be influenced by their peers, in this case, to have sex before marriage<sup>7</sup>. It is indicated by teenagers' most common reasons to have sexual intercourse: being curious (57.5% of male teens), letting it happen (38% of female), and being forced by a partner (12.6% of female) <sup>8</sup>. Teenage pregnancy often leads to a high rate of maternal and infant mortality, and high-risk infants.

The strategies to decrease the rate could be performed by giving education, promoting positive attitude and self-development, and providing health services<sup>9</sup>. These strategies have been proven to successfully help to bring down the rate to be 82% of the teenage pregnancy across the USA and in some of the states<sup>10</sup>.

All the data revealed above lead to a question: is there correlation between life skills and self-efficacy with teenage pregnancy?

# Material and Method

This was correlational research with cross-sectional approach. It involved 126 third-grade students of a public senior high school in Pekanbaru. Samples were taken by using stratified random sampling. The illustrative questionnaire was being used for interviewing the students. The data was taken for 3 day, 2 July, until 4 July, 2018. The correlation between variables was tested using chi square. This study has been approved by the committee of research ethics, Faculty of Medicine, Andalas University (approval number 480/KEP/FK/2018).

### Results

**Univariate Analysis** 

Table 1: Distribution of respondents characteristic based on Age

Age	Frequency	Percentage
16 year	76	60.3
17 year	50	39.7
Total	126	100

Table 2: Distribution life skills, self-efhicacy and risk of pregnancy

Variable	Kategorik	Frequency	Percentase	
Life abilla	Good	55	43.7	
Life skills	Poor	71	56,3	
Total		126	100	
10.00	High	46	36.5	
Self-efficacy	Low	80	63.5	
Total		126	100	
Diel of December	At risk	60	47.6	
Risk of Pregnancy	Not at risk	66	52.4	
Total		126	100	

Table 1 showsthat 76 teenagers are 16 years old (60.3 %).71 teenagers have poor life skills (56.3%) (see table 2). Regarding self-efficacy, table 2 shows that 80 teenagers have low self efficacy (63.5%) and 66 teenagers are at risk of pregnancy (52.4%) as shown in table 2.

# **Bivariate Analysis:**

Table 3: Correlation analysis life skills and self-efficacy with the risk	of teenage	
---	------------	--

	Risk of Pregnancy					1		
Variable	Not at Risk		At Risk		Total	%	p-value	OR (CI 95 %)
	n	%	N	%				(C193 70)
Life skills				26				
Good	17	30.9	38	69.1	55	100	0.002	3.433
Poor	43	60.6	28	39.4	71	100	0.002	(1.631-7.224)
Total	60	47.6	66	52.4	126	100		
Self -Efficacy								1
High	10	21.7	36	78.3	46	100	0.000	6.000
Low -	50	62.5	30	37.5	80	100	0.000	(2.606-13.817
Total	60	47.6	66	52.4	126	100		

Table 3 shows that there is a correlation between life skills with the risk of teenage pregnancy in Pekanbaru. It is indicated by the result where p-value:  $0.002 < \alpha$ (0.05) and OR: 3.433, meaning that teenagers with poorlife skills have three times greater risk of pregnancy compared to the ones with good life skills.

There is a correlation between self-efficacy with risk of teenage pregnancy. It is indicated by the result where p-value:  $0.000 < \alpha(0.05)$  and OR (6.000), meaning that teenagers with low self efficacy have sixtimes greater risk of pregnancy compared to the ones with high self efficacy (see table 3).

### Discussion

The study revealed that 76 out of 126 samples are 16 years old (60.3%). Teenagers are going through their life searching for self-identity. During this period, they are experiencing various physical changes and are often very curious about everything new to them, which affect their emotional state. They experience identifiable changes in their sexual organ, they begin to feel how beautiful it is to fall in love with somebody, and often they have a high sexual desire11. Curiosity to get new experiences is a leading factor which drives teenagers to commit high-risk behaviors9. Teenagers aged 16 to 18 years, categorized as mid-teen, start to develop new behavior and way of thinking while searching for self-identity. They learn to make their own decision, and they start to have sexual imagination. Furthermore, the acceptance from and being interested in opposite-sex individuals become a very important thing to teenagers12. Age may describe one's maturity in deciding on what and how to

act in life. The older the age, the more matured someone in making a choice<sup>13</sup>.

The researcher assumes that mid-teens are still unstable and easily influenced. This assumption comes from the facts that teenagers are searching for identity, very curious and courageous to risk themselves since they think that they have the freedom to do anything they want to. 71 of the samples still have poor life skills (56.3%). Life skills are tools and instrument for every individual to adapt and behave positively, which allow him or her to effectively encounter any demand and challenge in life. A life skill is a knowledge which helps someone to implement their skill and knowledge to live a healthy life14. Teenagers are required to learn to be independent in positive ways of learning. However, if this demand is not completed, they may experience psychological problems in the future. These problems are also affected by teenagers' inability to make a decision. A problem that they must be ready to face in the future is the presence of various options for everything ranging from the simplest to the most complicated ones 15. Based on the questionnaire result submitted from the samples. teenagers with good life skills are the ones who have the capability to think positively. They spend their free time with meaningful activities and reject negative influence from their environments. In contrast, teenagers with poor life skills are indicated by lack of self-confidence, lack of ability to make a decision, and tend to easily accept negative influence. That is the reason why teenagers with poor life skills have the probability to perform such negative behavior which could harm themselves and other individuals.

Most of the samples of this study have low self-efficacy: 80 persons (63.5%). Self-efficacy is someone's belief in his or her ability to empower motivation, cognitive resources, and a series of action considered necessary to cope with any situation he or she is experiencing 16.

Self-efficacy is developed from gradual skill growth along with continuous experiences. Self abilities that someone has gained draw self steadiness and confidence which he or she can utilize to achieve goals with maximum efforts<sup>17</sup>.

The questionnaire result shows that teenagers with high self-efficacy have higher confidence and better behavior compared to teenagers with low self-efficacy.

The study also revealed that 66 samples (52.4%) are at risk of pregnancy. Free sex has become one of which causes the risk of pregnancy. Free sex comes from a teenager's lack of family attention, curiosity, desire to do what most people do, poor life skills, and low self-efficacy<sup>18</sup>.

Mass media also have an important role in shaping the risk of teenage pregnancy. Every media company knows what they should do to attract their audience's attention including teenagers. The trending media for teenagers to follow most today are the electronics media<sup>19</sup>. The researcher assumes that teenagers lacking family attention but having high curiosity without self-control ability are more likely to fall into free sex trap, which may attract the risk of pregnancy.

The result of this study indicates that there is a correlation between life skills with the risk of pregnancy on teenagers. (p-value:  $0.002 < \alpha:0.05$ ) and OR value: 3.433 means that teenagers with poor life skills have a three times greater risk of pregnancy than the ones with good life skills.

Nowadays teenagers tend to respond permissively toward free sex. This is caused by the rapidly increasing number of teenagers who build a special relationship, which then widely opens the chance of premarital sex. It becomes worst when there are more people who tend to think that free sex is a small problem while it is actually a serious problem that everyone must avoid<sup>20</sup>.

According to<sup>21</sup> premarital sex among teenagers is provoked by myths which exist and are believed by some teenagers. Some young couples, for instance,

believe that sexual intercourse is a proof of true love, while some others consider one-time sexual intercourse will not cause pregnancy.

This study reveals that there is a correlation between self-efficacy with the risk of pregnancy among teenagers in Pekanbaru. This is based on the result where p-value:  $0.000 < \alpha$  so that H0 is rejected. OR value: 6.000 means that teenagers with low self-efficacy have a six times greater risk of pregnancy compared to the ones with high self-efficacy.

A high self-confidence drives teenagers to gain self-efficacy so that they have the courage to take responsibility for every decision they have made. They have a better understanding on the risk or the consequence of whichever action they take. This understanding can prevent themselves from risky behaviors including the risk of teenage pregnancy<sup>3</sup>.

# Conclusion and Suggestion

There is a significant correlation between the variables(life skills and self-efficacy) with the risk of teenage pregnancy. Future researchers are expected to conducta further research project using quasi experimental design by including a more innovative health promotion with more interesting media considered to be more attractive to teenagers.

Conflict of Interest Statement: There is no conflict of interest in this research

**Source of Funding:** Financial support was provided by the Payung Negeri Foundation

**Ethical Clearance:** Health Research Ethics Committee, Faculty of Medicine Andalas University of Padang Indonesia

# References

- Loaiza E, Mengjia Liang. Adolescent Pregnancy: A Review of the Evidence. United Nations Popul Fund. 2013;(2013):1–58.
- WHO. Adolescent Pregnancy. WHO Publ. 2018;31(2):191–203.
- Fuller TR, White CP, Chu J, Dean D, Clemmons N, Chaparro C, et al. Social Determinants and Teen Pregnancy Prevention: Exploring the Role of Nontraditional Partnerships. Health Promot Pract. 2018;19(1):23–30.

- IDHS. Statistics Indonesia National Population and Family Planning Board. In Jakarta: ndonesian Bureau of Population & Family Planning, Ministry of Health. Kemenkes RI. 2013;1–387.
- Supriyadi, Tugiman, & Palil J. Indonesian Survey Demography and Health Riau Province. Jakarta: Indonesian Bureau of Population & Family Planning, Ministry of Health. Depkes, Riau. 2013;
- Wahyudhi N. Policy Brief: Pregnancy Determinant Among Teenager in Indonesia (Analysis SDKI 2012). https://docplayer.info/40596375-Policybrief-determinan-kehamilan-remaja-di-indonesiaanalisis-sdki-2012-oleh-nanda-wahyudhi.htm. 2013;
- IDHS. Indonesia Demographic and Health Survey 2017: Adolescent Reproductive Health. National Population and Family Planning Board Jakarta, Indonesia. Kemenkes RI. 2017;
- BPS, BKKBN, Kemenkes. Survei Demografi dan Kesehatan Indonesia 2012 Kesehatan Reproduksi Remaja. Sdki. 2013;16.
- Decker M, Berglas N, Brindis C. A Call to Action: Developing and Strengthening New Strategies to Promote Adolescent Sexual Health. Societies [Internet]. 2015;5(4):686–712. Available from: http://www.mdpi.com/2075-4698/5/4/686/
- Koh H. The teen pregnancy prevention program: An evidence-based public health program model. J Adolesc Heal [Internet]. 2014;54(3 SUPPL.):S1-2. Available from: http://dx.doi.org/10.1016/j. jadohealth.2013.12.031
- Bam K, Girase B. Scenario of Adolescent Sexual and Reproductive Health with Opportunities for Information Communication and Technology Use in Selected South Asian Countries. Heal Sci Journal, 2015;9(42):1-7.
- 12. Santrock JW. Adolescent. Jakarta; Erlangga. 2007;
- Steiner RJ et al. "Do Health Promotion Messages Integrate Unintended Pregnancy and STI

- Prevention? A Content Analysis of Online Information for Adolescents and Young Adults." Elsevier Inc, p #pagerange#. 2018;
- Singla DR et al. Implementation and effectiveness of adolescent life skills programs on in low- and middle-income countries: A critical review and meta-analysis. Beharvior Res Ter Elsevier Ltd. 2019;
- Guimarães AM et al. Is adolescent pregnancy a risk factor for low birth weight? Pubmed J. 2013;47(1):11-4.
- Amo-adjei J, Darteh EKM. "Sexual & Reproductive Healthcare Unmet / met need for contraception and self-reported abortion in Ghana." Sex Reprod Heal Elsevier BV. 2017;13:118–24.
- Morris JL, Rushwan H. Adolescent sexual and reproductive health: The global challenges. Int J Gynecol Obstet [Internet]. 2015;131:S40–52. Available from: http://dx.doi.org/10.1016/j. ijgo.2015.02.006
- Downs JS et al. Original Study Video Intervention to Increase Perceived Self-Ef fi cacy for Condom Use in a Randomized Controlled Trial of Female Adolescents'. 2017;
- Mangone ER, Lebrun V, Muessig KE. Mobile Phone Apps for the Prevention of Unintended Pregnancy: A Systematic Review and Content Analysis. JMIR mHealth uHealth [Internet]. 2016;4(1):e6. Available from: http://mhealth.jmir. org/2016/1/e6/
- Devine, S. et al. Enhancing a Teen Pregnancy Prevention Program With Text Messaging: Engaging Minority Youth to Develop TOP O Plus Text. J Adolesc Heal. 2014;54(3):78–83.
- 21. Mattebo M et al. "Sexual & Reproductive Healthcare Perspectives on adolescent girls" health-seeking behaviour in relation to sexual and reproductive health in Nepal'. Sex Reprod Heal Elsevier. 2019;7–12.